

Specification Sheet

Part Number: 110-88005

Tensions and provides clean, flush cuts for 50 lb to 255 lb cable ties, including wide strap ties.

Quality construction with impact-resistant housing, tested at over 1 million cycles, provides high durability resulting in fewer repairs and an extended product life.

Lightweight tool with the most technologically advanced ergonomic design for reducing work-related risks such as fatigue and injury that affect productivity.

Tension dial offers 33 precise, easy-to-read settings that reduce subjectivity or the need for fine tuning.

Tension lock-in mechanism prevents operator from changing tension setting during critical applications.



EVO 9iSP Mechanical Hand Tool, Short Hand Span, Tension Range 12 - 69 lb, 1/pkg

Article Number	110-88005
Type	EVO9iSP
Color	Blue (BU) Gray (GY)
Quantity Per	box

Product Description	HellermannTyton's EVO® 9i industrial-grade, mechanical hand tool is ergonomically designed to reduce the risks of repetitive stress injuries to operators while simultaneously increasing productivity. The EVO 9i Tension/Lock/Cut Technology delivers performance, safety and comfort for operators. Calibrated tensioning ensures consistent wire-bundle tension before flush cut-off. Available in a standard grip span (EVO 9i) or short grip span (EVO 9iSP) for smaller hands. The high-tension model (EVO 9iHT) is capable of delivering higher tension forces before locking and cutting the tie. Additional accessories are available.
Short Description	EVO 9iSP Mechanical Hand Tool, Short Hand Span, Tension Range 12 - 69 lb, 1/pkg
Global Part Name	EVO9iSP-MET/PL-BU/GY
Tension Setting Tools	Adjustable
Cable Tie Width Max (Imperial)	0.53
Tension Force	53 - 307
Material	Metal (MET) Plastic (PL)
Material Shortcut	MET PL
Use Conditions	For Indoor Use Only
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes

Package Quantity (Imperial)	1
Package Quantity (Metric)	1
Customs Number	8205599000

7930 N. Faulkner Road, Milwaukee, WI 53224
Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Privacy Policy](#) [Cookie Policy](#) [Terms and Conditions](#)