

Specification Sheet

Part Number: 110-95300

Unique levels of repeatability and accuracy.

High application speed and low maintenance.

Improved compressed air supply for faster tensioning piston movement.

Shorter processing time and greater volume of connecting tie application.

Ergonomic design.

Automatic ejection of cut-off cable tie end.

Ideally designed to apply stainless steel MBT-Series up to 16.0 mm width.



Pneumatic Mark 9 Stainless Steel Tie Tensioning and Cut-Off Tool, PL/GF, Black, 1/pkg

Article Number 110-95300

Type MK9PSST

Color Black (BK)

Quantity Per pack

Product Description MK9PSST

Short Description Pneumatic Mark 9 Stainless Steel Tie Tensioning and Cut-Off Tool, PL/GF, Black, 1/pkg

| | |
|--------------------------------|------------------------------|
| Global Part Name | MK9PSST-PL-BK |
| Length L (Metric) | 280 |
| Width W (Metric) | 55 |
| Cable Ties | MBT-Series up to 16 mm width |
| Height H (Metric) | 200 |
| Cable Tie Width Max (Imperial) | 0.63 |
| Material | Plastic (PL) |
| Material Shortcut | PL |
| UV Resistant (Yes/No) | No |
| Use Conditions | For Indoor Use Only |
| Reach Compliant (Article 33) | No |
| ROHS Compliant | Yes |
| Package Quantity (Imperial) | 1 |
| Package Quantity (Metric) | 1 |

Customs Number

8467195090

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2025 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)