

Specification Sheet

Part Number: 133-03053



Can be easily assembled to convoluted tubing and reliably remain in position

Internal rib prevents movement or rattling

Multiple configurations to mount to a variety of surfaces

Releaseable to allow for maintenance

Conduit Clamps, Size 9, Mounting Hole 6.35 mm, Fir Tree, PP, Black, 800/pkg

Article Number 133-03053

Type CDC9FT6.35

Color Black (BK)

Quantity Per carton

Product Description The Convoluted Tubing Clamp provides a quick method for securing and routing convoluted tubing. The clamp has an internal rib that prevents movement of the tubing and rattling. Convoluted tubing clamps are available in various tubing diameters. Choose from arrowhead, fir tree, bundling clip, bracket and dual clamp configurations.

Short Description Conduit Clamps, Size 9, Mounting Hole 6.35 mm, Fir Tree, PP, Black, 800/pkg

Global Part Name CDC9FT6.35-PP-BK

Length L (Imperial) 2.51

Length L (Metric) 63.8

Fixation Method Fir Tree

Width W (Imperial) 0.3

Width W (Metric) 8.2

Bundle Diameter Max (Imperial) 0.35

Bundle Diameter Max (Metric) 9.0

Height H (Imperial) 1.94

Height H (Metric) 49.3

Diameter D (Imperial) 0.42

Diameter D (Metric) 10.6

Mounting Hole Diameter D (Imperial) 0.25 "

Mounting Hole Diameter D (Metric) 6.35 mm

Material Polypropylene (PP)

| | |
|------------------------------|-----------------------------------|
| Material Shortcut | PP |
| Flammability | UL 94 HB |
| Halogen Free | No |
| UV Resistant (Yes/No) | No |
| Use Conditions | For Indoor Use Only |
| Operating Temperature | -40°F to +239°F (-40°C to +115°C) |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |
| Package Quantity (Imperial) | 800 |
| Package Quantity (Metric) | 800 |
| Customs Number | 3926909988 |

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2025 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)