

Specification Sheet

Part Number: 151-03828

Large, 1.5" opening supports multiple cables or tubing.

Three mounting options - M10 stud mount, T120X or T120XLM cable tie tube mount and M5 hex head screw mount, adapt to a variety of installation scenarios.

Unique, flexible retainer allows routings to be easily inserted, but demonstrates rigidity in opposite direction to provide 360-degree containment.

For applications where mount will be rotated 180 degrees, the integrated support saddle accommodates the addition of a cable tie to provide additional routing security.



Mammoth Mount Cable Clip, 1.5" Bundle Dia, PA66HIRHSUV, Black, 200/pkg

Article Number	151-03828
Type	SLRCN12SM38
Color	Black (BK)
Quantity Per	carton
Product Description	This solar cable management device is designed specifically for GameChange Solar trackers. Once mounted, cables or tubes can be simply pushed in past the flexible retainer to nest, fully enclosed, within the 1.5 inch opening.

Short Description	Mammoth Mount Cable Clip, 1.5" Bundle Dia, PA66HIRHSUV, Black, 200/pkg
Global Part Name	SLRCN12SM38-PA66HIRHSUV-BK
Length L (Imperial)	2.44
Length L (Metric)	62.0
Fixation Method	Screw Mount
Width W (Imperial)	1.89
Width W (Metric)	48.1
Bundle Diameter Max (Imperial)	1.5
Bundle Diameter Max (Metric)	38.1
Height H (Imperial)	2.83
Height H (Metric)	72.0
Cable Tie Width Max (Imperial)	0.29
Cable Tie Width Max (Metric)	7.6
Mounting Hole Diameter D (Metric)	M10 Threaded
Stud Length Min (Imperial)	0.39
Stud Length Min (Metric)	10.0

Stud Diameter (Metric)	M10
Stud Diameter (Imperial)	3/8 " x16
Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
Flammability	UL 94 HB
Halogen Free	Yes
UV Resistant (Yes/No)	Yes
Use Conditions	For Indoor and Outdoor Use
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	200
Package Quantity (Metric)	200
Customs Number	3926909988

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2025 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)