

## Specification Sheet

Part Number: 151-03905

Bolt-down, one-piece design can bundle and secure two high-voltage cables inside convoluted tubing.

Integrated M6 Stud Mount acts as third hand for retention while attaching.

Compression limiter for high-torque bolted applications.

Releasable latch for serviceability.



HV Dual Clamp with M6 Stud Mount, 0.94" Bundle Dia, PA66HIRHSUV, Black, 250/ctn

Article Number 151-03905

Type DHVC24M6

Color Black (BK)

Quantity Per pack

Product Description These clamps separate multiple bundles and secure them to any surface with a 6 mm stud or bolt. The one-piece hinged design snaps together to keep bundles such as tubing or battery cables separated. The robust design and durable materials also make it ideal for heavy duty applications.

Short Description HV Dual Clamp with M6 Stud Mount, 0.94" Bundle Dia, PA66HIRHSUV, Black, 250/ctn

Global Part Name DHVC24M6-PA66HIRHSUV-BK

Length L (Imperial) 3.96

Length L (Metric) 100.5

Fixation Method Stud Mount

Width W (Imperial) 1.20

Width W (Metric) 30.5

Bundle Diameter Max (Imperial) 0.94

Bundle Diameter Max (Metric) 24.0

Bundle Diameter 1st Loop Max (Imperial) 0.94

Bundle Diameter 1st Loop Max (Metric) 24.0

Bundle Diameter 2nd Loop Max (Imperial) 0.94

Bundle Diameter 2nd Loop Max (Metric) 24.0

Height H (Imperial) 1.26

Height H (Metric) 32.0

Mounting Hole Diameter D (Imperial) 0.24 "

Mounting Hole Diameter D (Metric) M6

|                              |  |
|------------------------------|--|
| Material                     | Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV) |
| Material Shortcut            | PA66HIRHSUV  |
| UV Resistant (Yes/No)        | Yes  |
| Use Conditions               | For Indoor and Outdoor Use   |
| Operating Temperature        | -40°F to +221°F (-40°C to +105°C)  |
| Reach Compliant (Article 33) | Yes  |
| ROHS Compliant               | Yes  |
| Package Quantity (Imperial)  | 250  |
| Package Quantity (Metric)    | 250  |
| Customs Number               | 3926909988   |

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Privacy Policy](#) [Cookie Policy](#) [Terms and Conditions](#)