

Specification Sheet

Part Number: 151-04063

Reversed orientation ensures PV cables are completely enclosed inside panel, reducing exposure to wind, snow and ice that can dislodge cables from mounting clips.

Clip can be preloaded onto cable so it can be blind-mounted under panel.

Larger thumb pad is more comfortable for installers, resulting in less strain and faster installations.

1 - 3 mm panel thickness range fits a wide range of panels.

Double-compression design accommodates various wire and cable sizes.



Heavy Duty Reverse Barb Metal Edge Clip, 1–3mm Panel Thickness, 5–7.6mm Cable Range, SS304, 3000/carton

Article Number	151-04063
----------------	-----------

Type	MSC2RB
------	--------

Color	Metal (ML)
-------	------------

Quantity Per	pack
--------------	------

Product Description	HellermannTyton's Reverse Barb Metal Edge Clip provides an excellent alternative to managing wire and PV cables where plastic fasteners are not the preferred method. Designed for effortless insertion, this Solar Clip has a high extraction force that tolerates extreme environments and provides assurance that the cables remain securely fastened to a panel. The clip is similar in design to the MSC2 clip, except orientation is at 180 degrees, which positions the PV cables inside the panel frame.
Short Description	Heavy Duty Reverse Barb Metal Edge Clip, 1–3mm Panel Thickness, 5–7.6mm Cable Range, SS304, 3000/carton
Global Part Name	MSC2RB-SS304-ML
Length L (Imperial)	0.95
Length L (Metric)	24.1
Width W (Imperial)	0.75
Width W (Metric)	19.1
Height H (Imperial)	0.57
Height H (Metric)	14.4
Material	Stainless Steel (SS304)
Material Shortcut	SS304
Halogen Free	Yes

UV Resistant (Yes/No)	Yes
Use Conditions	For Indoor and Outdoor Use
Operating Temperature	-112°F to +1000°F (-80°C to +538°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	3000
Package Quantity (Metric)	3000
Customs Number	7326908695

7930 N. Faulkner Road, Milwaukee, WI 53224
Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2025 HellermannTyton. All Rights Reserved.
[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)