

Specification Sheet

Part Number: 151-04083

Connector clip designed for 11 mm slots according to EWCAP-005-11mm.

Fits 1 to 3 mm panel thickness for versatile usage.

Clip can be installed by hand – no need for hardware or tools.

Connector is easy to install and release, for non-destructive re-use.

Integrated metal clip delivers strong retention on panel edge.



Connector Clip, 11 mm, Panel Thickness 1.0 - 3.0 mm, PA66HIRHSUV, Black, 7000/carton

Article Number 151-04083

Type EC6CC11

Color Black (BK)

Quantity Per carton

Product Description Connector clips feature various attachment point configurations to accommodate the many connectors on the market. They are first mated with a connector on a wire harness or cable assembly, then secured to an edge using the integrated clip. Ideal for applications where holes or adhesives are not suitable.

Short Description Connector Clip, 11 mm, Panel Thickness 1.0 - 3.0 mm, PA66HIRHSUV, Black, 7000/carton

Global Part Name	EC6CC11-PA66HIRHSUV-BK
Length L (Imperial)	0.92
Length L (Metric)	23.4
Fixation Method	Edge Clip
Variant	1.0 - 3.0 mm Edge
Width W (Imperial)	0.37
Width W (Metric)	9.4
Height H (Imperial)	0.65
Height H (Metric)	16.5
Panel Thickness Min (Imperial)	0.04
Panel Thickness Max (Imperial)	0.12
Panel Thickness Min (Metric)	1.0
Panel Thickness Max (Metric)	3.0
Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)

Material Shortcut	PA66HIRHSUV
Flammability	UL 94 HB
Halogen Free	Yes
UV Resistant (Yes/No)	Yes
Use Conditions	For Indoor and Outdoor Use
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	7000
Package Quantity (Metric)	7000
Customs Number	3926909988

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2025 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)