

## Specification Sheet

Part Number: 151-04266

These connector clips provide a simple and easy method for mounting connectors to a mounting surface in a variety of applications.

Highly engineered designs feature anti-rattle discs, anti-rotation oval fir trees and clamps for mounting on edges.



A wide assortment of styles is available to fit the variety of connector slot designs made by most of the largest global connector manufacturers.

Connector Clip with Oval Fir Tree, 9.0 - 17.0mm Hole Dia, PA66HIRHS, Natural, 3000/carton

Article Number 151-04266

Type CC18

Color Natural (NA)

Quantity Per carton

Product Description HellermannTyton Connector Clips feature various attachment point configurations to accommodate the many connectors on the market. They are first mated with a connector on a wire harness or cable assembly, then secured to a surface using the integrated mount. With so many configurations available, attachment surfaces can be a hole, edge, stud or even another harness assembly.

Short Description Connector Clip with Oval Fir Tree, 9.0 - 17.0mm Hole Dia, PA66HIRHS, Natural, 3000/carton

Global Part Name CC18-PA66HIRHS-NA

Minimum Tensile Strength (Imperial) 35

Minimum Tensile Strength (Metric) 155

Length L (Imperial) 1.19

Length L (Metric) 30.29

Fixation Method Fir Tree for oval holes

Width W (Imperial) 0.80

Width W (Metric) 20.32

Height H (Imperial) 0.93

Height H (Metric) 23.57

Panel Thickness Min (Imperial) 0.02

Panel Thickness Max (Imperial) 0.37

Panel Thickness Min (Metric) 0.6

Panel Thickness Max (Metric) 9.5

Mounting Hole Diameter D (Imperial) 0.35 x 0.67

Mounting Hole Diameter D (Metric) 9.0 x 17.0 mm

Mounting Hole Diameter D Min (Imperial) 0.35

Mounting Hole Diameter D Max (Imperial) 0.35

Mounting Hole Diameter D Max (Metric) 9.0

Material Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)

Material Shortcut PA66HIRHS

UV Resistant (Yes/No) Yes

Use Conditions For Indoor and Outdoor Use

Operating Temperature -40°F to +230°F (-40°C to +110°C)

Reach Compliant (Article 33) No

Package Quantity (Imperial) 3000

Package Quantity (Metric) 3000

Customs Number 3926909988

