

Specification Sheet

Part Number: 156-03005

Clamp and mount combination means no extra hardware is needed, for time-saving, toolless, one-handed installation.

Three size ranges handle diameters from 0.5" to 2", reducing part inventory.

Clamp saddle provides additional attachment option using a cable tie.



Impact modified, heat and UV stabilized PA66 provides long-term durability, indoors and out.

Quick2Clamp, Ratchet, 1.42" - 2.0" Bundle Dia, 1-5/8" Strut Attachment, PA66HIRHSUV, Black, 25/bg

Article Number 156-03005

Type IRCDSTRUT

Color Black (BK)

Quantity Per pack

Product Description The Quick2Clamp offers ultra-fast installation and versatility for

managing conduit, tubing and cables. The built-in strut mount attaches with a simple twist. The one-piece design makes it simple to install without tools. Robust, adjustable clamp closes by hand to the desired diameter. A release feature allows easy and nondestructive maintenance simply by using a flat-head screwdriver. In this way, the

clamp can be reused or serviced without removing it from the strut.

Short Description	Quick2Clamp, Ratchet, 1.42" - 2.0" Bundle Dia, 1-5/8" Strut Attachment, PA66HIRHSUV, Black, 25/bg		
Global Part Name	IRCDSTRUT-PA66HIRHSUV-BK		
Minimum Tensile Strength (Imperial)	100		
Length L (Imperial)	5.55		
Length L (Metric)	140.9		
Fixation Method	1-5/8 " Strut Attachment		
Variant	Load Rating: 17 lbs, Safety Factor: 3 Pull Force Rating: 50 lbs		
Width W (Imperial)	1.37		
Width W (Metric)	34.81		
Bundle Diameter Min (Imperial)	1.42		
Bundle Diameter Min (Metric)	36.0		
Bundle Diameter Max (Imperial)	2.01		
Bundle Diameter Max (Metric)	51.0		
Height H (Imperial)	2.06		
Height H (Metric)	52.4		

Material
Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)

Material Shortcut
PA66HIRHSUV

Halogen Free
Yes

UV Resistant (Yes/No)
Yes

Use Conditions
For Indoor and Outdoor Use

Operating Temperature
-40°F to +221°F (-40°C to +105°C)

Reach Compliant (Article 33)
Yes

ROHS Compliant Yes

Certification/Specification UL | UL2239 Conduit & Cable Hanger

UL Listed (US) Yes

Package Quantity (Imperial) 25

Package Quantity (Metric) 25

Customs Number 3926909988

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com