

## Specification Sheet

Part Number: 156-03013

Three-piece wide strap tie and coupler assembly bundles and separates two routings at any angle from parallel to 90 degrees from each other.

Wide strap ties minimize pinching of soft hoses and convoluted tubing, while the coupler protects routings from friction and abrasion.

Space-saving coupler means more room for routings.



3-Piece Wide Strap Tie with Coupler, 9.1" Long, 0.37" - 2.25" Dia, 120lbs, PA46, Brown, 100/bg

Article Number 156-03013

Type DUALWSSASSY

Color Brown (BN)

Quantity Per pack

Product Description Couplers simplify connecting two cable ties for routing and separating bundles. Designed to allow up to 90 degrees of rotation, these assemblies are ideal for applications in which the bundle, pipe or hose requires slight movement in relation to the fastening point. Manufactured using PA46 high-heat material.

Short Description 3-Piece Wide Strap Tie with Coupler, 9.1" Long, 0.37" - 2.25" Dia, 120lbs, PA46, Brown, 100/bg

Global Part Name DUALWSSASSY-PA46-BN

Minimum Tensile Strength (Imperial) 120

Minimum Tensile Strength (Metric) 535

Length L (Imperial) 9.1

Length L (Metric) 231.0

Tie Closure plastic pawl

Variant Inside Serrated

Width W (Imperial) 0.5

Width W (Metric) 12.7

Bundle Diameter Min (Imperial) 0.59

Bundle Diameter Min (Metric) 15.0

Bundle Diameter Max (Imperial) 2.01

Bundle Diameter Max (Metric) 51.0

Height H (Imperial) 0.43

Height H (Metric) 10.86

Material	Polyamide 4.6 (PA46)
Material Shortcut	PA46
UV Resistant (Yes/No)	No
Use Conditions	For Indoor Use Only
Operating Temperature	-40°F to +266°F (-40°C to +130°C)
ROHS Compliant	Yes
Package Quantity (Imperial)	100
Package Quantity (Metric)	100
Customs Number	3926909988

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: [corp@htamericas.com](mailto:corp@htamericas.com)

© 2025 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)