

Specification Sheet

Part Number: 596-00382

Thermal transfer labels are made with high-performance materials for long-term industrial applications.

Labels can be printed in any standard thermal transfer printer giving the user options for printing and eliminating the need to be dedicated to one printer model.

The labels are available in a wide variety of sizes so that finding a label for a particular application is easy.



Phase label, 1" x .5", PET, White, 2500/roll

| | |
|---------------------|---|
| Article Number | 596-00382 |
| Type | PLW3P |
| Color | White (WH) |
| Quantity Per | pack |
| Product Description | Phase labels are microperforated between each label so that it can be applied as one strip to the panel or broken into individual labels. |
| Short Description | Phase label, 1" x .5", PET, White, 2500/roll |
| Global Part Name | PLW3P-PET-WH |

| | |
|---------------------------|-----------------------------------|
| Local Order Number 2 | 596-00382 |
| Width W (Imperial) | 1.0 |
| Width W (Metric) | 25.4 |
| Thickness T (Metric) | 64.0 |
| Height H (Imperial) | 0.5 |
| Height H (Metric) | 12.7 |
| Width of Liner (Metric) | 85.09 |
| Width of Liner (Imperial) | 3.35 |
| Material | Polyester (PET) |
| Material Shortcut | PET |
| Adhesive | Acrylic |
| Halogen Free | No |
| UV Resistant (Yes/No) | No |
| Use Conditions | For Indoor Use Only |
| Operating Temperature | -40°F to +300°F (-40°C to +149°C) |

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

UL Recognized (US) Yes

Package Quantity (Imperial) 2500

Package Quantity (Metric) 2500

Customs Number 3919102055

Labels per Column 3

Labels per Row 3

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2025 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)