


Specification Sheet

Part Number: 904-00239



- Strong fingers prevent unwanted breaking.
- Restricted opening design in the finger of the duct helps keep wires in place, preventing unintended removal and permitting individual wires to be traced without disconnection.
- Supplied with mounting holes to streamline installation.
- Optional covers enhance protection and appearance.

Slotted Wall Wiring Duct, 4" x 2", Non-Adhesive, 7 ft long, PVC, Gray, 140 ft/Carton

Article Number	904-00239
Type	SL4X2
Color	Gray (GY)
Quantity Per	carton
Product Description	Slotted Wall Wiring Duct features break-away fingers that provide easy access for wire leads. Each section of the duct is provided with two score lines. The upper score line is used to break away fingers when a greater opening is required. The lower score line allows the sidewall to be smoothly cut for joints and T's.
Short Description	Slotted Wall Wiring Duct, 4" x 2", Non-Adhesive, 7 ft long, PVC, Gray, 140 ft/Carton

Global Part Name	SL4X2-PVC-GY
------------------	--------------

Length L (Imperial)	7.0
---------------------	-----

Length L (Metric)	2.13
-------------------	------

Fixation Method	Non-Adhesive
-----------------	--------------

Width W (Imperial)	4.03
--------------------	------

Width W (Metric)	102.36
------------------	--------

Height H (Imperial)	2.07
---------------------	------

Height H (Metric)	52.6
-------------------	------

Mounting Hole Centers (Imperial)	4.0
----------------------------------	-----

Material	Polyvinylchloride (PVC)
----------	-------------------------

Material Shortcut	PVC
-------------------	-----

Flammability	UL 94 V-0
--------------	-----------

Halogen Free	No
--------------	----

UV Resistant (Yes/No)	No
-----------------------	----

Use Conditions	For Indoor Use Only
----------------	---------------------

Operating Temperature	+122°F (+50°C)
-----------------------	----------------

Reach Compliant (Article 33)	No
------------------------------	----

ROHS Compliant	Yes
----------------	-----

UL Recognized (US)	Yes
--------------------	-----

Package Quantity (Imperial)	140.0
-----------------------------	-------

Package Quantity (Metric)	42.7
---------------------------	------

Customs Number	3925900000
----------------	------------

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2025 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)