

Specification Sheet

Part Number: 133-03219



Clip can be installed by hand – no need for hardware or tools.

Design provides low insertion and high extraction force, for simple, secure performance.

Clip keeps bundle away from areas that could cause damage due to rubbing.

Standoff Bundling Clip, 40.0 mm Long, 7.3 - 7.8 mm Mounting Hole Dia., PP, Blk, 3500/carton

Article Number 133-03219

Type SOC36FT6

Color Black (BK)

Quantity Per bag

Product Description Standoff bundling clips provide a straightforward way to secure cable bundles, hoses or pipes. The bundle fastens to the tape bar using tape or cable ties. Multiple orientations allow tape clips to be used with a wide range of panel thicknesses and hole diameters. Standoff keeps bundles away from mounting area to prevent them from damage due to rubbing.

Short Description Standoff Bundling Clip, 40.0 mm Long, 7.3 - 7.8 mm Mounting Hole Dia., PP, Blk, 3500/carton

Global Part Name SOC36FT6-PP-BK

Length L (Imperial) 1.43

Length L (Metric) 36.2

Fixation Method Fir tree for round holes

Width W (Imperial) 0.60

Width W (Metric) 15.2

Height H (Imperial) 0.94

Height H (Metric) 23.9

Panel Thickness Min (Imperial) 0.1

Panel Thickness Max (Imperial) 0.51

Panel Thickness Min (Metric) 2.5

Panel Thickness Max (Metric) 13.0

Mounting Hole Diameter D (Imperial) 0.29 - 0.31

Mounting Hole Diameter D (Metric) 7.25 - 7.75 mm

Mounting Hole Diameter D Min (Imperial) 0.29

Mounting Hole Diameter D Max (Imperial) 0.31

Mounting Hole Diameter D Max (Metric)	7.75
Stud Diameter (Metric)	5.0 mm
Stud Diameter (Imperial)	0.20
Material	Polypropylene (PP)
Material Shortcut	PP
Flammability	UL 94 HB
Use Conditions	For Indoor and Outdoor Use
Operating Temperature	-40°F to +239°F (-40°C to +115°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	3500
Package Quantity (Metric)	3500
Customs Number	3926909988

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)