

Specification Sheet

Part Number: 133-03691

Heavy duty push pin with 12x17mm fir tree provides low insertion effort yet delivers exceptional retention strength in a 12x17mm slotted hole.

Oval fir tree prevents rotation.

Wide, flat top provides an ergonomically friendly surface for easy installation.

Long fir tree to fasten channel, bracket or clamp to panel surface.



Push Pin with Oval Fir Tree, 12x17 mm oval hole diameter, PA66HIRHSUV, Black, 2000/ctn

| | |
|---------------------|--|
| Article Number | 133-03691 |
| Type | 12x17PUSHPIN |
| Color | Black (BK) |
| Quantity Per | bag |
| Product Description | Push pins allow the fastening of multiple parts together with a simple press of the thumb. |
| Short Description | Push Pin with Oval Fir Tree, 12x17 mm oval hole diameter, PA66HIRHSUV, Black, 2000/ctn |
| Global Part Name | 12x17PUSHPIN-PA66HIRHSUV-BK |

| | |
|-----------------------------------|--|
| Length L (Metric) | 28 |
| Fixation Method | Push Mount |
| Height H (Metric) | 21.35 |
| Depth D (Metric) | 24 |
| Panel Thickness Min (Imperial) | 0.02 |
| Panel Thickness Max (Imperial) | 0.31 |
| Panel Thickness Min (Metric) | 0.6 |
| Panel Thickness Max (Metric) | 8.0 |
| Mounting Hole Diameter D (Metric) | 12 x 17 mm |
| Material | Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV) |
| Material Shortcut | PA66HIRHSUV |
| Flammability | UL 94 HB |
| Halogen Free | Yes |
| UV Resistant (Yes/No) | Yes |
| Use Conditions | For Indoor and Outdoor Use |

Operating Temperature -40°F to +221°F (-40°C to +105°C)

Reach Compliant (Article 33) No

Package Quantity (Imperial) 2000

Package Quantity (Metric) 2000

Customs Number 3926909988