

## Specification Sheet

Part Number: 151-01310

Fir Tree demonstrates easy insertion with high extraction resistance in 65 +/- 0.4 mm hole



C-clip design allows for multiple uses, from hoses and tubes to harnesses and cables

Dual FT6 Docking Clip, 12-15mm with 6.5mm Fir Tree, PA66HIRHSUV, Black, 2000/pkg

Article Number 151-01310

Type DUALFT6DOCK

Color Black (BK)

Quantity Per carton

Product Description HellermannTyton connector clips for oval holes are mounted simply by pushing them onto the corresponding clip. The clips provide a wide range of mounting options with anti-rattle and anti-rotation features. The fir tree locks into place when inserted into the hole palpably and ensures a secure fixing at all times. Dual routing clip provides a secure fit for two routings between 12 - 15 mm diameter.

Short Description Dual FT6 Docking Clip, 12-15mm with 6.5mm Fir Tree, PA66HIRHSUV, Black, 2000/pkg

Global Part Name DUALFT6DOCK-PA66HIRHSUV-BK

Length L (Imperial) 2.04

Length L (Metric) 51.8

Fixation Method Fir Tree

Width W (Imperial) 0.66

Width W (Metric) 16.66

Bundle Diameter Min (Imperial) 0.61

Bundle Diameter Min (Metric) 15.5

Bundle Diameter Max (Imperial) 0.61

Bundle Diameter Max (Metric) 15.5

Height H (Imperial) 1.36

Height H (Metric) 34.63

Nominal Diameter (Metric) 15.5

Panel Thickness Min (Imperial) 0.02

Panel Thickness Max (Imperial) 0.24

Panel Thickness Min (Metric) 0.6

Panel Thickness Max (Metric)	6.0
Mounting Hole Diameter D (Imperial)	0.26
Mounting Hole Diameter D (Metric)	6.5 mm
Mounting Hole Diameter D Max (Metric)	6.9
Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
UV Resistant (Yes/No)	Yes
Use Conditions	For Indoor and Outdoor Use
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	2000
Package Quantity (Metric)	2000
Customs Number	3926909988

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)