


Specification Sheet

Part Number: 151-01884



The different fixing orientations allow tape clips to be used with a wide range of panel thicknesses and hole diameters.

Bundling Clip w/Oval Fir Tree, 1.52" L, 0.02 - 0.10" Panel Thickness, PA66HIRHS, Natural, 8000/ctn

| | |
|---------------------|---|
| Article Number | 151-01884 |
| Type | BCSFTOVAL2 |
| Color | Natural (NA) |
| Quantity Per | carton |
| Product Description | HellermannTyton Bundling Clips are designed to provide simple and easy methods for securing cable bundles, hoses, or pipes. They are fastened onto the tape bar using tape or cable ties. |
| Short Description | Bundling Clip w/Oval Fir Tree, 1.52" L, 0.02 - 0.10" Panel Thickness, PA66HIRHS, Natural, 8000/ctn |
| Global Part Name | BCSFTOVAL2-PA66HIRHS-NA |

| | |
|---|---|
| Minimum Tensile Strength (Imperial) | 25 |
| Minimum Tensile Strength (Metric) | 110 |
| Length L (Imperial) | 1.52 |
| Length L (Metric) | 38.7 |
| Fixation Method | Fir Tree for oval holes |
| Width W (Imperial) | 0.30 |
| Width W (Metric) | 7.62 |
| Height H (Imperial) | 0.46 |
| Height H (Metric) | 11.6 |
| Panel Thickness Min (Imperial) | 0.02 |
| Panel Thickness Max (Imperial) | 0.10 |
| Panel Thickness Min (Metric) | 0.6 |
| Panel Thickness Max (Metric) | 2.5 |
| Mounting Hole Diameter D (Imperial) | 0.24 x 0.48 ";0.25 x 0.50 ";0.25 x 0.50 ";0.27 x 0.47 |
| Mounting Hole Diameter D (Metric) | 6.5 x 12.5 mm 6.5 x 13.0 mm 6.2 x 12.2 mm 7.0 x 12.0 mm |
| Mounting Hole Diameter D Min (Imperial) | 0.24 |

Mounting Hole Diameter D Max (Imperial) 0.50

Mounting Hole Diameter D Max (Metric) 13.0

Material Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)

Material Shortcut PA66HIRHS

Flammability UL 94 HB

UV Resistant (Yes/No) No

Use Conditions For Indoor Use Only

Operating Temperature -40°F to +230°F (-40°C to +110°C)

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

Package Quantity (Imperial) 8000

Package Quantity (Metric) 8000

Customs Number 3926909988

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)