

## Specification Sheet

Part Number: 151-02681



Can be easily assembled to convoluted tubing and reliably remain in position

Internal rib prevents movement or rattling

Multiple configurations to mount to a variety of surfaces

Releaseable to allow for maintenance

Conduit Clamps, Size 6, Attach Hole Dia. 6.35, Fir Tree, Sec. 6 PP, Gray, 2000/pkg

Article Number 151-02681

Type CDC6FT7.63

Color Black (BK)

Quantity Per carton

**Product Description** The Convoluted Tubing Clamp provides a quick method for securing and routing convoluted tubing. The clamp has an internal rib that prevents movement of the tubing and rattling. Convoluted tubing clamps are available in various tubing diameters. Choose from arrowhead, fir tree, bundling clip, bracket and dual clamp configurations.

**Short Description** Conduit Clamps, Size 6, Attach Hole Dia. 6.35, Fir Tree, Sec. 6 PP, Gray, 2000/pkg

Global Part Name CDC6FT7.63-PP-BK

Length L (Imperial) 1.33

Length L (Metric) 33.9

Fixation Method Fir Tree

Width W (Imperial) 0.3

Width W (Metric) 7.6

Bundle Diameter Max (Imperial) 0.24

Bundle Diameter Max (Metric) 6.0

Height H (Imperial) 2.07

Height H (Metric) 52.8

Diameter D (Imperial) 0.31

Diameter D (Metric) 8.0

Mounting Hole Diameter D (Imperial) 0.25

Mounting Hole Diameter D (Metric) 6.35 mm

Material Polypropylene (PP)

Material Shortcut	PP
Flammability	UL 94 HB
Halogen Free	No
UV Resistant (Yes/No)	No
Use Conditions	For Indoor Use Only
Operating Temperature	-40°F to +239°F (-40°C to +115°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	2000
Package Quantity (Metric)	2000
Customs Number	3926909988