

## **Specification Sheet**

Part Number: 151-03641

No drilling or extra hardware required – just position on steel surface.

Magnetic mounts are reliable even in debris, dirt and oil.

Use for permanent mounting or as a temporary installation tool.

Reuse, 360-degree rotation and reposition capabilities allow for a flexible mounting solution.

Easily remove without leaving residue behind.



Magnetic Clip, Small, 1/2", Neodymium Magnet/POM/ST, 10lb Pull Force, White, 10/bag

Article Number 151-03641

Type MAGC10S

Color White (WH)

Quantity Per bag

Product Description M

Magnetic clips are designed to route bundles by securing to steel surfaces without the need for a mounting hole. Simply attach the wire bundle by pushing it into the clip and position it onto the beam, metal joist, ceiling channel, conveyor frame, or other steel surface. The clips are simple to secure and can attach to surfaces contaminated with oil or debris. Ultra-strong neodymium magnets are ideal as a permanent mount or for temporary applications. Reuse and reposition them for ultimate flexibility without needing to replace or repurchase parts.

Short Description	Magnetic Clip, Small, ½", Neodymium Magnet/POM/ST, 10lb Pull Force, White, 10/bag
Global Part Name	MAGC10S-NDFEB35M/POM/ST-WH
Length L (Imperial)	0.62
Length L (Metric)	15.8
Fixation Method	Magnet
Height H (Imperial)	0.73
Height H (Metric)	18.5
Depth D (Imperial)	0.15
Depth D (Metric)	3.9
Diameter D (Imperial)	0.75
Diameter D (Metric)	19.0
Material	Steel (ST) Polyacetal (POM) Neodymium alloy 35M (NDFEB35M)
Material Shortcut	NDFEB35M ST POM

Yes

Halogen Free

UV Resistant (Yes/No)

Use Conditions For Indoor Use Only

Plenum Rating AH-2

Operating Temperature -40°F to +176°F (-40°C to +80°C)

No

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

UL Listed (US and Canada) Yes

UL Listed (US) Yes

Package Quantity (Imperial) 10

Package Quantity (Metric) 10

Customs Number 8505110070

© 2024 HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions