

## Specification Sheet

Part Number: 156-02980



Quick and easy installation ideal for manufacturing environment.

The connector clip is designed to meet USCAR EWCAP-005-11 clip slot specifications.

Meets installation and extraction requirements of SAE/USCAR-2.

2-pc. Offset Stud Mount Connector Clip w/Cable Tie, M5/M6, PA66HIRHS, Black, 1000/ctn

Article Number 156-02980

Type T50RSB5-6SO39CC11RSET

Color Black (BK)

Quantity Per box

Product Description Connector clips feature various attachment point configurations to accommodate the many connectors on the market.

Short Description 2-pc. Offset Stud Mount Connector Clip w/Cable Tie, M5/M6, PA66HIRHS, Black, 1000/ctn

Global Part Name T50RSB5-6SO39CC11RSET-PA66HIRHS-BK

Minimum Tensile Strength (Imperial)	50
Minimum Tensile Strength (Metric)	225
Length L (Imperial)	1.81
Length L (Metric)	46.0
Fixation Method	Stud Mount
Identification Plate Position	none
Releasable Closure	No
Tie Closure	plastic pawl
Width W (Imperial)	1.88
Width W (Metric)	47.8
Bundle Diameter Min (Imperial)	0.12
Bundle Diameter Min (Metric)	3.0
Bundle Diameter Max (Imperial)	0.98
Bundle Diameter Max (Metric)	25.0
Height H (Imperial)	0.96
Height H (Metric)	24.3
Mounting Hole Diameter D (Imperial)	0.2 - 0.24

Mounting Hole Diameter D (Metric)	5.0 - 6.0 mm
Mounting Hole Diameter D Min (Imperial)	0.2
Mounting Hole Diameter D Max (Imperial)	0.24
Mounting Hole Diameter D Max (Metric)	6.0
Stud Diameter (Metric)	6.0 mm 5.0 mm
Stud Diameter (Imperial)	0.24 ", 0.20
Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
Material Shortcut	PA66HIRHS
Material Cable Tie	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Flammability	UL 94 HB
Use Conditions	For Indoor and Outdoor Use
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	1000

Package Quantity (Metric) 1000

Customs Number 3926909988

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)