

Specification Sheet

Part Number: 157-00394



Offset mount allows wire or cable to be attached beside mounting hole instead of directly above it.

Delivers high extraction force for reliable performance, yet it's easy to install.

Heat stabilized material provides excellent resistance to high temperatures.

Offset M5/M6 Stud Mount Tie, 8" Tie, 18 mm Offset, 50 lb Tensile Strength, PA66HIRHSUV, BK, 2000/ctn

Article Number 157-00394

Type T50ROSPHM5-6SO18

Color Black (BK)

Quantity Per box

Product Description One-piece mounting ties offer a complete solution by both bundling cable and at the same time providing a mounting solution. HellermannTyton's one-piece mounting ties offer the ideal combination of high specification materials and superior design to suit the mounting and bundling needs of complex applications.

Short Description Offset M5/M6 Stud Mount Tie, 8" Tie, 18 mm Offset, 50 lb Tensile Strength, PA66HIRHSUV, BK, 2000/ctn

Global Part Name T50ROSPHM5-6SO18-PA66HIRHSUV-BK

Minimum Tensile Strength (Imperial)	50
Minimum Tensile Strength (Metric)	225
Length L (Imperial)	8.61
Length L (Metric)	218.71
Offset Length (Imperial)	0.71
Offset Length (Metric)	18.0
Fixation Method	Stud Mount
Identification Plate Position	none
Releasable Closure	No
Width W (Imperial)	0.70
Width W (Metric)	17.85
Bundle Diameter Min (Imperial)	0.08
Bundle Diameter Min (Metric)	2.0
Bundle Diameter Max (Imperial)	1.97
Bundle Diameter Max (Metric)	50.0
Stud Diameter (Metric)	M6 M5

Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
UV Resistant (Yes/No)	Yes
Use Conditions	For Indoor and Outdoor Use
Operating Temperature	-40°F to +266°F (-40°C to +130°C)
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
Package Quantity (Imperial)	2000
Package Quantity (Metric)	2000
Customs Number	3926909988