

## **Specification Sheet**

Part Number: 181-92022

A temporary film is applied to the covers to protect against scratches and is writable for identification during installation.

Cover is flush with the side of the duct for increased wire capacity and allows for tight, side by side duct placement.

Covers are provided with a non-slip lining, which insures the covers remain in place during vibration, yet they easily snap on and off. (Covers to be purchased separately)



Wiring Duct Cover for 2" Duct, 7 ft Long, PVC, Gray, 140 ft/carton

Article Number 181-92022

Type TC2

Color Gray (GY)

Quantity Per carton

Product Description HellermannTyton's Pro-Duct wiring duct covers are sold separately and

interchangeable among the 3 styles of duct (solid, slotted and high density). Manufactured from high impact, rigid PVC, Pro-Duct covers come in standard colors of white, gray and black. Wiring duct covers

are available in 6 foot lengths.

Short Description Wiring Duct Cover for 2" Duct, 7 ft Long, PVC, Gray, 140 ft/carton

| $\sim$ 1 1 | <b>D</b> ( | N 1  |
|------------|------------|------|
| Global     | Part       | Name |

TC2-PVC-GY

Length L (Imperial)

7

Length L (Metric)

2.13

Width W (Imperial)

2.00

Width W (Metric)

50.80

Height H (Imperial)

0.308

Height H (Metric)

7.82

Material

Polyvinylchloride (PVC)

**Material Shortcut** 

PVC

Flammability

UL 94 V-0

UV Resistant (Yes/No)

No

**Use Conditions** 

For Indoor Use Only

**Operating Temperature** 

+122°F (+50°C)

Reach Compliant (Article 33)

No

**ROHS Compliant** 

Yes

| Certification/Specification | CSA EN 50085-2-3_1A EN 50085-1:2005 + A1:2013 UL |
|-----------------------------|--|
| UL Recognized (US)          | Yes  |
|                             |  |
| Package Quantity (Imperial) | 140.0  |
| Package Quantity (Metric)   | 42.67  |
| Customs Number              | 3925900000                                       |

 $\hbox{@\,}2024$  HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions