

## **Specification Sheet**

Part Number: 404-42013



Easy, time-saving insulation of cable branch point where it splits into single wires

Made of tough, cross-linked, Polyolefin

Adhesive to relieve mechanical tension in cable harnesses

Heat Shrink Molded Shapes, Helashrink 400 Series, 442-1-J, PO-X, BK, 1/bag

Article Number 404-42013

Type 442-1-J

Color Black (BK)

Quantity Per bag

Product Description Helashrink 400 series features branching parts that are used for easy,

time-saving insulation of the branch point of a cable where it is split into single wires. They are manufactured from a tough cross-linked flame retarded polyolefin. Branching parts with adhesive also serve to relieve the mechanical tension in cable harnesses whilst providing excellent IP

ratings.

Short Description Heat Shrink Molded Shapes, Helashrink 400 Series, 442-1-J, PO-X,

BK, 1/bag

Global Part Name

442-1-J-PO-X-BK

Variant

For 4-core cables

Bundle Diameter Min (Imperial)

0.1

Bundle Diameter Min (Metric)

2.5

Bundle Diameter Max (Imperial)

0.39

**Bundle Diameter Max (Metric)** 

10.0

Material

Polyolefin, cross-linked (PO-X)

**Material Shortcut** 

PO-X

Flammability

ASTM D635

UV Resistant (Yes/No)

No

**Use Conditions** 

For Indoor Use Only

**Operating Temperature** 

-67°F to +158°F (-55°C to +70°C)

**ROHS Compliant** 

Yes

