

Specification Sheet

Part Number: TAG6T1-100B

HellermannTyton Self-Laminating Labels come on rolls on a standard 3" core for easy loading into a printer or caddy.

Labels are conformable so that they can bend around small gauge wires and tight bends without coming loose over time.

Labels are UL recognized for indoor and outdoor use to expand application options.

HellermannTyton thermal transfer labels work in any thermal transfer printer so that the use always has options to get labels printed without being locked into a single vendor.

Product Image

Thermal Transfer Adhesive Labels, Self-Laminating, 2.0 x 1.0 x 3.75", 1 Across, VL, White, 1000/roll

Article Number 596-00016

Type TAG6T1

Color White (WH)

Quantity Per reel

Product Description HellermannTyton thermal transfer self-laminating labels are a conformable vinyl film with a white printable surface followed by a clear tail that laminates the printed text when applied to a wire or cable. The labels are UL recognized for indoor and outdoor use with an aggressive acrylic adhesive that allows the label to bond to large and small diameter wires.

Short Description Thermal Transfer Adhesive Labels, Self-Laminating, 2.0 x 1.0 x 3.75", 1 Across, VL, White, 1000/roll

Global Part Name TAG6T1-100B-WH

Width W (Imperial) 2.0

Width W (Metric) 50.8

Bundle Diameter Min (Imperial) 0.5

Bundle Diameter Min (Metric) 12.7

Bundle Diameter Max (Imperial) 0.87

Bundle Diameter Max (Metric) 22.2

Thickness T (Metric) 25

Height H (Imperial) 1.0

Height H (Metric) 25.4

Width of Liner (Metric) 55.88

Width of Liner (Imperial) 2.2

Material Type 100B (100B)

Material Shortcut 100B

Adhesive Acrylic

| | |
|--------------------------------|----------------------------------|
| Halogen Free | No |
| UV Resistant (Yes/No) | Yes |
| Use Conditions | For Indoor and Outdoor Use |
| Adhesive Operating Temperature | -51°F to +200°F (-46°C to +93°C) |
| Operating Temperature | -40°F to +205°F (-40°C to +96°C) |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |
| Certification/Specification | UL-Recognized |
| UL Recognized (US) | Yes |
| Package Quantity (Imperial) | 1000 |
| Package Quantity (Metric) | 1000 |
| Customs Number | 3919102055 |
| Labels per Column | 1 |
| Labels per Row | 1 |

