

Specification Sheet

Part Number: 596-28251

Polyethylene is conformable to adhere to a wide variety of curved and compound surfaces.

The adhesive sticks to itself and can be used for flag wrap applications.

The smooth, printable surface allows for high-quality imaging for text and graphics.



Thermal Transfer Labels, 0.8" x 1.43", 4 Across, Polyethylene, White, 5000/roll

Article Number 596-28251

Type TAG28T4

Color White (WH)

Quantity Per reel

Product Description HellermannTyton's polyethylene labels are smooth and conformable to most surfaces. The material's ability to withstand areas where oil and moisture are present is an important feature. Bonds well to low surface energy plastics such as polypropylene and nylon. A low cost alternative to cloth style labels.

Short Description Thermal Transfer Labels, 0.8" x 1.43", 4 Across, Polyethylene, White, 5000/roll

| | |
|--------------------------------|-----------------------------------|
| Global Part Name | TAG28T4-PE-WH |
| Width W (Imperial) | 0.8 |
| Width W (Metric) | 20.32 |
| Thickness T (Metric) | 64.0 |
| Height H (Imperial) | 1.43 |
| Height H (Metric) | 36.3 |
| Width of Liner (Metric) | 87.63 |
| Width of Liner (Imperial) | 3.45 |
| Material | Polyethylene (PE) |
| Material Shortcut | PE |
| Adhesive | Acrylic |
| Halogen Free | No |
| UV Resistant (Yes/No) | No |
| Use Conditions | For Indoor Use Only |
| Adhesive Operating Temperature | -40°F to +248°F (-40°C to +120°C) |

Operating Temperature -40°F to +176°F (-40°C to +80°C)

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

Package Quantity (Imperial) 5006

Package Quantity (Metric) 5000

Customs Number 3919102055

Labels per Column 1

Labels per Row 4