HellermannTyton

Specification Sheet

Part Number: GT.75X153C2



Features quick release for repetitive access to cable and wire.

Can be opened and closed numerous times without failure.

Adjustable so one size can accommodate multiple bundle sizes.

Grip Tie Strap, 15.0" x .75", PA6/PP, Orange, 100/pkg

| Article Number | 854-44375 |
|---------------------|---|
| Туре | GT.75X15 |
| Color | Orange (OG) |
| Quantity Per | bag |
| Product Description | The Grip Tie is a low-profile, one-piece fastening device. Constructed of a hook and loop design, laminated back to back, the Grip Tie features quick release for repetitive access to cable and wire. Reusable, adjustable, releasable, and easy to install, it can be successfully opened and closed numerous times. Grip Ties are available in a variety of colors and are versatile enough for applications ranging from network installations to bundling power cords. |
| Short Description | Grip Tie Strap, 15.0" x .75", PA6/PP, Orange, 100/pkg |

| Minimum Tensile Strength (Imperial) | 50 |
|-------------------------------------|--------|
| Minimum Tensile Strength (Metric) | 222.41 |
| Length L (Imperial) | 15.0 |
| Length L (Metric) | 381.0 |
| Width W (Imperial) | 0.75 |
| Width W (Metric) | 19.05 |
| Bundle Diameter Max (Imperial) | 3.88 |
| Bundle Diameter Max (Metric) | 98.552 |
| | |

| Material | Polyethylene (PE) Polyamide 6 (PA6) |
|------------------------------|-------------------------------------|
| Material Shortcut | PA6 PE |
| UV Resistant (Yes/No) | No |
| Use Conditions | For Indoor Use Only |
| Reach Compliant (Article 33) | No |
| UL Recognized (US) | Yes |

UL Recognized (US and Canada) Yes

Package Quantity (Imperial) 100

Package Quantity (Metric)

Customs Number

3926909988

100

© 2024 HellermannTyton. All Rights Reserved. Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions