

20 AWG – 7×32 Stranded Tinned Copper

Stranded Multi-Conductor
Overall Aluminum Shield
S-R PVC Insulation - 300 Volt



*Product images are for illustrative purposes only and may differ from the actual product.

Category Conductor Description:

- Tinned copper. D22015 follows color code 27. All other products follow color code 10.

Shield Drain:

- Aluminum-polyester shield Tinned copper drain wire with 100% shield coverage

Standards:

- UL 444
- UL 758
- UL 1581
- NEC Article 800
- UL Rated - 80C
- Voltage: UL 300 Volt

Category Insulation Description:

- Semi-rigid Polyvinyl Chloride (S-R PVC)

Category Jacket Description:

- Gray, Polyvinyl Chloride (PVC)

| Color Code Chart | |
|------------------|--------|
| # of Conductors | Color |
| 1 | Black |
| 2 | Red |
| 3 | White |
| 4 | Green |
| 5 | Brown |
| 6 | Blue |
| 7 | Orange |
| 8 | Yellow |

| | |
|----|-------------|
| 9 | Purple |
| 10 | Gray |
| 11 | Pink |
| 12 | Tan |
| 13 | Red/Black |
| 14 | White/Black |
| 15 | Green/Black |

Part Number Table

| Part# | Houston Wire & Cable | Gauge | Conductors | Stranding | Insulation Thickness | Jacket Thickness | Outside Diameter Inches | Material Weight (Lbs./M') |
|--------------|---------------------------------|--------------|-------------------|------------------|-----------------------------|-------------------------|--------------------------------|----------------------------------|
| D22004 | 20-04SCMR | 20 | 4 | 7x28 TC | 0.01 | 0.032 | 0.203 | 31.7 |
| D22006 | | 20 | 6 | 7x28 TC | 0.013 | 0.032 | 0.276 | 52 |
| D22008 | | 20 | 8 | 7x28 TC | 0.013 | 0.032 | 0.248 | 50.6 |
| D22010 | | 20 | 10 | 7x28 TC | 0.01 | 0.032 | 0.264 | 60 |
| D22012 | | 20 | 12 | 7x28 TC | 0.01 | 0.032 | 0.283 | 69.6 |
| D22015 | | 20 | 15 | 7x28 TC | 0.016 | 0.032 | 0.377 | 105 |

Note: The data shown is approximate and subject to standard industry and manufacturer tolerances.

Selling Exclusively Through Distribution Since 1977™ | phone: 800-292-OMNI | website: omnicable.com
Atlanta • Boston • Charlotte • Chicago • Cincinnati • Denver • Houston • Los Angeles • Philadelphia • San Francisco • Seattle •
St. Louis • Tampa • Toronto
© 2020 Omni Cable LLC