

Outdoor OSP Cable144F OS2 LT OSP DRY OFN

ALTOS® Loose Tube, Gel-Free Cable144 F, Single-mode (OS2)



*Product images are for illustrative purposes only and may differ from the actual product.

Category Description:

- Corning ALTOS® all-dielectric gel-free cables are designed for outdoor and limited indoor use for backbones in lashed aerial and duct installations. The loose tube gel-free design is fully waterblocked using craft-friendly, water-swellable materials, which means cable access is simple and no clean up is required. The flexible craft-friendly buffer tubes are easy to route in closures, and the SZ-stranded, loose tube design isolates fibers from installation and environmental rigors while allowing easy mid-span access. The all-dielectric cable construction requires no bonding or grounding, and these cables have a medium-density polyethylene jacket that is rugged, durable and easy to strip.

Fiber Count:

- 144

Cable Type:

- Loose Tube

RoHS Compliant:

- Free of hazardous substances according to RoHS 2011/65/EU

Outer Jacket:

Applications:

- Aerial, Duct

Category Jacket Description:

- Rugged, durable and easy to strip (while providing superior protection against UV radiation, fungus, abrasion and other environmental factors)

Fiber:

- Single-mode (OS2)

Ripcord:

- 1

- Colo:: Black, Material: Polyethylene (PE)

Selling Exclusively Through Distribution Since 1977 TM | phone: 800-292-OMNI | website: omnicable.com

Atlanta • Boston • Charlotte • Chicago • Cincinnati • Denver • Houston • Los Angeles • Philadelphia • San Francisco • Seattle •

St. Louis • Tampa • Toronto

© 2020 Omni Cable LLC